

**CITY OF AUBURN HILLS
FIRE DEPARTMENT
OPERATIONAL GUIDELINE**

SUBJECT: Initial Response of Apparatus	NUMBER: 202
--	-----------------------

EFFECTIVE DATE: March 1, 2005	REEVALUATION DATE: March 1, 2006
---	--

AMENDS: December 10, 1997	DISTRIBUTION: All Department Personnel	NUMBER OF PAGES: 4
-------------------------------------	--	---------------------------

PURPOSE

To provide for immediate initial response of fire apparatus to incidents of various nature. The response of additional apparatus, equipment and resources shall be determined by the on-scene incident commander.

GUIDELINE

Reported structure fires at Oakland University.

Station 2 - Truck 2, Engine 2, Bravo 2

Station 1 - Truck 1, SR-1

Station 3 - Truck 3

Reported structure fires in commercial / industrial buildings, single / multiple family dwellings, hotels, motels and Oakland Community College.

STATION 1 AREA:

Station 1 - Truck 1, Engine 1, Bravo 1

Station 2 - Truck 2

STATION 2 AREA - NORTH OF PONTIAC ROAD & UNIVERSITY:

Station 2 - Truck 2, Engine 2, Bravo 2

Station 3 - Truck 3

STATION 2 AREA - SOUTH OF PONTIAC ROAD & UNIVERSITY:

Station 2 - Truck 2, Engine 2, Bravo 2

Station 1 - Truck 1

STATION 3 AREA:

Station 3 - Truck 3, Engine 3, Bravo 3

Station 2 - Truck 2

Reported vehicles fires, injury accidents, rollover accidents, grass fires, and all other incidents that occur on I-75.

STATION 1 AREA:

South bound I-75 from M-59 to South Blvd.

North bound I-75 from South Blvd to University.

* Apparatus response shall be appropriate for the incident.

STATION 2 AREA:

South bound I-75 from M-24 interchange to M-59.

North bound I-75 from University to Joslyn Rd.

* Apparatus response shall be appropriate for the incident.

STATION 3 AREA:

South bound I-75 from Baldwin Rd to M-24 interchange.

North bound I-75 from Joslyn Rd to Baldwin Rd.

* Apparatus response shall be appropriate for the incident.

All other incidents not identified above, including but not limited to, medical emergencies, injury accidents, fire alarms, odor investigations, down / arcing wires, grass fires, dumpster fires, spills / leaks, rescues, entrapments, assists to police etc:

STATION 1 AREA:

Station 1

* Apparatus response shall be appropriate or the incident.

STATION 2 AREA:

Station 2

* Apparatus response shall be appropriate for the incident.

STATION 3 AREA:

Station 3

* Apparatus response shall be appropriate for the incident.

Reported hazardous materials incidents, building collapse, confined space rescue, high angle rope rescue.

STATION 1 AREA:

Station 1 - Truck 1, Engine 1, Bravo 1

Special Response SR-1

STATION 2 AREA:

Station 2 - Truck 2, Engine 2, Bravo 2

Special Response SR-1

STATION 3 AREA:

Station 3 - Truck 3, Engine 3, Bravo 3

Special Response SR-1

The first arriving officer shall establish command conduct a size-up of the situation, advise dispatch and additional responding units of the situation in accordance with tactical guidelines and department guideline (O.P. #35)

The incident commander upon completion of the initial size-up shall immediately change the code response or cancel additional responding units based upon the situation.

The first two arriving apparatus shall initiate appropriate action based upon the incident commanders initial size-up. Additional responding apparatus shall stage one (1) block away from the scene, advise the incident commander of the units arrival, and await orders in accordance with tactical guidelines and department guideline (O.P. #35)

All personnel shall remain with the apparatus in which they responded to the incident location, or until such time that they receive direct orders from the incident commander.